

Report No.: AGC14440250701-001

Test maint	Test Item		X-ray Fluorescence	Wet Chemistry Method	C14440250701-00
Test point			Spectrometry (XRF)		
	Pb		mg/kg IN	mg/kg 29620	
-	Cd		BL	/ / /	
-				/	
-	Hg Cr(Cr ⁶⁺)		BL	/	
-	Cr		BL	/	Conformity Exemption clause 6(c)
65	Br	PBBs	N/A	/	
		PBDEs	27/4	/	
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
66	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
	Br	PBBs	N/A	/	Conformity
		PBDEs		/	
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
67	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
	Br	PBBs	BL	/	Conformity
		PBDEs		/	
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
68	Pb		BL	/	
	Cd		BL	,	
	Hg		BL	,	
	Cr(Cr ⁶⁺)		BL	/	
	PBBs		DL	/	
	Br —	PBDEs	BL	/	Conformity
	DIBP		NT/A	N D	
			N/A	N.D.	
	DBP		N/A	N.D.	
-	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.